



DPIA Office Online and the mobile Office apps  
Data protection impact assessment on the processing of  
diagnostic data

APPENDIX 1 –telemetry events mobile Office apps on iOS  
and Android

Date	23 July 2019
Status	Public



## Telemetry events mobile Office apps

Privacy Company has tested the use of the five most popular apps (Word, Outlook, Excel, PowerPoint and Teams), including the use of the Connected Experiences such as Editor (spelling checker), Translator and Insert Online Pictures. This in order to reproduce daily activities of government employees. The scenarios were executed on 7 and 8 May 2019 and repeated on 7 June 2019.

Privacy Company has tested the apps on an iPhone X, with the iOS operating system version 12.2, and the following versions of the apps: version 2.25 (Word, Excel), 1.0.75 (Teams), 3.21.0 (Outlook) and 10.64 (PowerPoint)

The tests were also performed on a Pixel 3, with the Android one rating system version 9. The following versions of the apps were tested: Excel 16.0.11601.20074, Outlook 3.0.55, PowerPoint 16.0.11601.20074, Teams 1416/1.0.0.2019042206 and Word 16.0.11601.20074.

In order to repeat the findings, Privacy Company has performed a limited third test run on 23 July 2019, on the same iPhone X with iOS version 12.3.1, with Word and Excel versions 2.27 and PowerPoint version 2.25.

In all three test runs, the tester logged in to a test account connected to Azure Active Directory in an Enterprise bulk license. The first two test runs were performed with two accounts created in the Azure AD of an EDU Office 365 Enterprise license, the third test run was performed on two accounts created in the Azure AD of a Dutch government Office 365 E5 license.

Privacy Company has intercepted the outgoing traffic from both smartphones with MITMproxy version 4.0.4 (software that allows for the inspection of contents of traffic with and without TLS encryption).

In the network traffic two endpoints are recognizable as telemetry end points: vortex.data.microsoft.com and mobile.pipe.aria.microsoft.com. The first endpoint has only been observed during the first test run, and only from PowerPoint on iOS, not from any other applications and not from Android. Only these data were encoded as JSON events. These data can be decoded relatively easy. During the second test run these events no longer appeared.

The data that were sent to the other network endpoint, mobile.pipe.aria.microsoft.com, were encoded in a non-documented binary format. Privacy Company has made structured searches in the raw data with specific search scripts, based on the content of the test scenarios.

### Exceptions and traffic to marketing company

Not all Connected Experiences were available in the different apps. During the second test run it was not possible to send attachments through the Outlook app on Android. During the first test run it was necessary to add many exceptions to the proxy configuration to get this function working. The second time this didn't work in time. During the second test run no telemetry events were sent at all from the PowerPoint and Excel apps on iOS. However, the captured network traffic shows that both apps sent a couple of post requests to the domain [mensa.iad.appboy.com](https://mensa.iad.appboy.com), owned by the US-based marketing company Braze. This traffic is separate from the telemetry events. When these tests were repeated on 23 July, traffic to Braze was

also captured from the Word app. The traffic occurred both during the launch of the apps and after the user was logged in.

### Example of the captured traffic to marketing company Braze second test run - PowerPoint

```
{
  "api_key": "6f0a70f2-5359-45f8-9106-7507478bc55f",
  "app_version": "2.25",
  "device_id": "F8189EAF-313E-4199-97F6-9D1E861508F3",
  "events": [
    {
      "data": {
        "key": "PowerPoint_EditFile",
        "value": 1
      },
      "name": "inc",
      "session_id": "4F35E555-74A8-40E0-88D6-840FD41F9BE9",
      "time": 1559901297.509,
      "user_id": "80a89116-f786-44b0-b048-a490f1c84444"
    },
    {
      "data": {
        "n": "_EditFile",
        "p": {
          "AppName": "PowerPoint"
        }
      },
      "name": "ce",
      "session_id": "4F35E555-74A8-40E0-88D6-840FD41F9BE9",
      "time": 1559901297.509,
      "user_id": "80a89116-f786-44b0-b048-a490f1c84444"
    }
  ],
  "sdk_version": "3.12.0",
  "time": 1559901307.526232
}
```

### Example of the captured traffic to Braze third test run - Word

Flow Details

2019-07-23 12:00:28 POST

https://mensa.iad.appboy.com/api/v3/content\_cards/sync

<- 201 Created application/json 74b 186ms

Request

Response

Detail

```
Host: mensa.iad.appboy.com
Content-Type: application/json
X-Braze-ContentCardsRequest: true
Accept-Encoding: br, gzip, deflate
User-Agent: Word/2.27.19070901 CFNetwork/978.0.7 Darwin/18.6.0
Connection: keep-alive
Accept: */*
X-Braze-API-Key: 0e8ae0e7-2269-456e-8889-0db1ca995724
Content-Length: 267
X-Braze-DataRequest: true
Accept-Language: en-us
```

JSON

```
[m:auto]
{
  "api_key": "0e8ae0e7-2269-456e-8889-0db1ca995724",
  "app_version": "2.27",
  "device_id": "F8189EAF-313E-4199-97F6-9D1E861508F3",
  "last_card_updated_at": 0,
  "last_full_sync_at": 0,
  "sdk_version": "3.12.0",
  "time": 1563876028.006939,
  "user_id": "73a3aa10-6c74-4145-94de-98c5aff585e7"
}
```

**Example of the captured traffic to Braze third test run - Excel**

2019-07-23 11:17:32 POST

https://mensa.iad.appboy.com/api/v3/content\_cards/sync  
<- 201 Created application/json 74b 165ms  
Request

Response	Detail
Host:	mensa.iad.appboy.com
Content-Type:	application/json
X-Braze-ContentCardsRequest:	true
Accept-Encoding:	br, gzip, deflate
User-Agent:	Excel/2.27.19070901 CFNetwork/978.0.7 Darwin/18.6.0
Connection:	keep-alive
Accept:	*/*
X-Braze-API-Key:	e7be02cc-96ab-4bd4-be37-c8c3489f5825
Content-Length:	267
X-Braze-DataRequest:	true
Accept-Language:	en-us

JSON

```
[m:auto]
{
  "api_key": "e7be02cc-96ab-4bd4-be37-c8c3489f5825",
  "app_version": "2.27",
  "device_id": "F8189EAF-313E-4199-97F6-9D1E861508F3",
  "last_card_updated_at": 0,
  "last_full_sync_at": 0,
  "sdk_version": "3.12.0",
  "time": 1563873452.880989,
  "user_id": "73a3aa10-6c74-4145-94de-98c5aff585e7"
}
```

**Example of the captured traffic to Braze third test run - PowerPoint**

Flow Details

2019-07-23 11:20:09 POST

https://mensa.iad.appboy.com/api/v3/content\_cards/sync  
<- 201 Created application/json 74b 384ms  
Request

Response	Detail
Host:	mensa.iad.appboy.com
Content-Type:	application/json
X-Braze-ContentCardsRequest:	true
Accept-Encoding:	br, gzip, deflate

```
User-Agent:          PowerPoint/2.27.19070901 CFNetwork/978.0.7
Darwin/18.6.0
Connection:         keep-alive
Accept:             */*
X-Braze-Api-Key:    6f0a70f2-5359-45f8-9106-7507478bc55f
Content-Length:     217
X-Braze-DataRequest: true
Accept-Language:    en-us
JSON
[m:auto]
{
  "api_key": "6f0a70f2-5359-45f8-9106-7507478bc55f",
  "app_version": "2.27",
  "device_id": "F8189EAF-313E-4199-97F6-9D1E861508F3",
  "last_card_updated_at": 0,
  "last_full_sync_at": 0,
  "sdk_version": "3.12.0",
  "time": 1563873609.410924
}
```

## FIRST TEST RUNS ON 7 AND 8 MAY 2019

### **Mamenrollmentoperation**

Observed in Excel on iOS (8 times), Teams on iOS (1 time), Word on iOS (7 times) and Outlook on iOS (1 time).

*Contains information about the use of mobile application management.*

*Remarkable information in the telemetry event:*

*DeviceInfo.Id = F8189EAF-313E-4199-97F6-9D1E861508F3*

*Intune.deviceId = 944772A1-ECDC-4750-8319-FF106FC988A5*

*Intune.mamIdentity = [e-mail address anonymised]*

*AppInfo.Version = 2.24 (2.24.19041003)*

*DeviceInfo.Model = iPhone11,8*

### **Mamenrollmentnetworkoperation**

Observed in Excel on iOS (16 times), Teams on iOS (1 time), Word on iOS (13 times) and Outlook on iOS (2 times).

### **act\_stats**

Observed in Excel on iOS (5 times), Teams on iOS (1 time) and Word on iOS (5 times).

### **AppSession/StartUp**

Observed in Powerpoint on iOS (1 time).

### **AggregateStatusReport**

Observed in Powerpoint on iOS (1 time).

### **CameraBackup/SettingChange**

Observed in Powerpoint on iOS (2 times).

### **ReasonUXNotShownAutomatically**

Observed in Powerpoint on iOS (1 time).

### **Auth/ADALTelemetry**

Observed in Powerpoint on iOS (5 times).

### **AppLaunch**

Observed in Powerpoint on iOS (1 time).

### **Auth/TokenRefreshResult**

Observed in Powerpoint on iOS (6 times).

### **ECS/RampValues**

Observed in Powerpoint on iOS (2 times).

### **Auth/AccountPlaceChanges**

Observed in Powerpoint on iOS (3 times).

**Auth/MAMEnrollment**

Observed in Powerpoint on iOS (1 time).

**UserSku/Refreshed**

Observed in Powerpoint on iOS (1 time).

**Operation**

Observed in Powerpoint on iOS (1 time).

**edf\_trouter\_client\_disconnected**

Observed in Teams on iOS (8 times).

**edf\_trouter\_client\_log\_error**

Observed in Teams on iOS (4 times).

**edf\_trouter\_client\_event**

Observed in Teams on iOS (12 times).

**edf\_trouter\_client\_connected**

Observed in Teams on iOS (8 times).

**mdsc\_mediaagentmanager**

Observed in Teams on iOS (1 time).

**mdsc\_logging**

Observed in Teams on iOS (2 times).

**trap\_token\_manager**

Observed in Teams on iOS (1 time).

**skypecosi\_concore\_native\_callsignalingagent\_httprequest**

Observed in Teams on iOS (1 time).

**Applifecycle**

Observed in Teams on iOS (42 times) and Outlook on iOS (8 times).

**Scenario**

Observed in Teams on iOS (1055 times).

*A collection of different kinds of telemetry evens subdivided in many scenario names: chat\_send\_message (14 times), chat\_send\_message\_ui (14 times), bell\_count (260 times), service\_send\_message (14 times), notification\_burnt (28 times), notification\_burn\_unavailable (14 times), auth\_adal\_tokens (375 times), app\_incremental\_sync\_resume (18 times), app\_resume (18 times), app\_start\_sync (11 time), companionFetchActiveCalls (22 times), presence\_interon\_publish (18 times), chat\_switch (16 times), app\_resume\_notification\_perf (1 time), auth\_skype\_tokens (192 times), navChat (6 times), chat\_retrieve\_contact\_groups (6 times), app\_incremental\_sync\_launch (2 times), app\_start (2 times), app\_start\_perf (2 times), calling\_service\_init (2 times), skylib\_skype\_token\_refresh (2 times), verify\_skylib\_state (2 times), calling\_service\_login (2 times), documents\_upload\_file\_p2p (4 times), documentFilePreview (4 times), documentFileDownload (4 times), remote\_notification\_message\_sync (2 times)*

**Trace**

Observed in Teams on iOS (737 times).

*Contains technical messages about the internal functioning of the app. Some examples:*

*Trace\_Message5:[W] no active user identified, active singal is not set!!!*

*Trace\_Message5<9a>^A[W] [HTTP] TSNA LongPollOperation : 0, contextID:,*

*domain:NSURLErrorDomain, code:-1001, skypeErrorCode:, skypeErrorMessage:<sanitized>, MT ServerRequestID:*

*This event did not contain contents of files or communication.*

**http**

Observed in Teams on iOS (259 times).

*Contains data about http request that were sent from the Teams client. The event shows URLs of internal API calls This event did not contain contents of files or communication.*

**Userbi**

Observed in Teams on iOS (69 times).

**Session**

Observed in Teams on iOS (2 times) and Outlook on iOS (4 times).

**Adalauth**

Observed in Teams on iOS (198 times).

**Notification**

Observed in Teams on iOS (52 times).

**mail\_filter\_component**

Observed in Outlook on iOS (4 times).

**tab\_component**

Observed in Outlook on iOS (8 times).

**inbox\_component**

Observed in Outlook on iOS (7 times).

**core\_data\_diagnostics**

Observed in Outlook on iOS (1 time).

**account\_consistency**

Observed in Outlook on iOS (1 time).

**accessibility\_report**

Observed in Outlook on iOS (1 time).

**feed\_account\_info**

Observed in Outlook on iOS (1 time).

**adal\_telemetry**

Observed in Outlook on iOS (7 times).

**account\_action**

Observed in Outlook on iOS (1 time).

**hx\_fetch\_latency\_start**

Observed in Outlook on iOS (19 times).

**boot\_time**

Observed in Outlook on iOS (1 time).

**app\_launch\_report**

Observed in Outlook on iOS (1 time).

**cortana\_action**

Observed in Outlook on iOS (4 times).

**feature\_flags**

Observed in Outlook on iOS (1 time).

**exchange\_api\_duration**

Observed in Outlook on iOS (3 times).

**addin\_report**

Observed in Outlook on iOS (1 time).

**mail\_list\_datasource\_v2\_performance**

Observed in Outlook on iOS (3 times).

**app\_startup\_reason**

Observed in Outlook on iOS (1 time).

**mail\_drawer\_action**

Observed in Outlook on iOS (1 time).

**sidebar\_action**

Observed in Outlook on iOS (5 times).

**heterogeneous\_favorites**

Observed in Outlook on iOS (1 time).

**add\_account**

Observed in Outlook on iOS (1 time).

**livepersonacard\_qos\_lokigetauthtoken**

Observed in Outlook on iOS (1 time).

**core\_data\_performance**

Observed in Outlook on iOS (3 times).

**mail\_compose**

Observed in Outlook on iOS (2 times).

**send\_message**



Observed in Outlook on iOS (1 time).

**cal\_component**

Observed in Outlook on iOS (2 times).

**combined\_search\_use**

Observed in Outlook on iOS (6 times).

**unexisting\_process\_ended**

Observed in Outlook on iOS (2 times).

**main\_thread\_blocked**

Observed in Outlook on iOS (2 times).

**cal\_navigate\_to\_today**

Observed in Outlook on iOS (1 time).

**cal\_drawer\_action**

Observed in Outlook on iOS (2 times).

**composite\_stats**

Observed in Excel on Android (13 times) and Word on Android (8 times)

**profile\_load**

Observed in Excel on Android (2 times), Powerpoint on Android (1 time) and Word on Android (5 times).

**sqlite\_policy\_storage\_onen\_database**

Observed in Excel on Android (2 times), Powerpoint on Android (1 time) and Word on Android (5 times).

**sqlite\_policy\_storage\_create\_table\_if\_needed**

Observed in Excel on Android (4 times), Powerpoint on Android (2 times) and Word on Android (10 times).

**profile\_load\_async**

Observed in Excel on Android (2 times), Powerpoint on Android (1 time) and Word on Android (5 times).

**sqlite\_policy\_storage\_load**

Observed in Excel on Android (19 times), Powerpoint on Android (11 time) and Word on Android (47 times).

**policy\_sync\_acquire\_policy**

Observed in Excel on Android (19 times), Powerpoint on Android (11 time) and Word on Android (47 times).

**profile\_add\_engine\_async**

Observed in Excel on Android (19 times), Powerpoint on Android (11 time) and Word on Android (47 times).

**Bizcritical**

Observed in Excel on Android (2 times) and Word on Android (2 times).

**Performance**

Observed in Excel on Android (13 times) and Word on Android (13 times).

**usage**

Observed in Excel on Android (2 times) and Word on Android (2 times).

## SECOND TEST RUN 7 JUNE 2019

**Mamenrollmentoperation**

Observed in Teams on iOS (6 times), Word on iOS (7 times) and Outlook on iOS (9 times)

**Mamenrollmentnetworkoperation**

Observed in Teams on iOS (12 times), Word on iOS (14 times) and Outlook on iOS (16 times)

**act\_stats**

Observed in Teams on iOS (1 time) and Word on iOS (3 times)

**AppSession/StartUp**

Not found

**AggregateStatusReport**

Not found

**CameraBackup/SettingChange**

Not found

**ReasonUXNotShownAutomatically**

Not found

**Auth/ADALTelemetry**

Not found

**AppLaunch**

Not found

**Auth/TokenRefreshResult**

Not found

**ECS/RampValues**

Not found

**Auth/AccountPlaceChanges**

Not found

**Auth/MAMEnrollment**

Not found

**UserSku/Refreshed**

Not found

**Operation**

Not found

**edf\_trouter\_client\_disconnected**

Observed in Teams on iOS (1 time) and Teams on Android (1 time)

**edf\_trouter\_client\_log\_error**

Not found

**edf\_trouter\_client\_event**

Observed in Teams on iOS (2 times) and Teams on Android (2 times)

**edf\_trouter\_client\_connected**

Observed in Teams on iOS (2 times) and Teams on Android (2 times)

**mdsc\_mediaagentmanager**

Observed in Teams on iOS (1 time) and Teams on Android (1 time)

**mdsc\_logging**

Observed in Teams on iOS (2 times)

**trap\_token\_manager**

Observed in Teams on iOS (2 times) and Teams on Android (2 times)

**skypecosi\_concore\_native\_callsignalingagent\_httprequest**

Observed in Teams on iOS (1 time) and Teams on Android (1 time)

**Applifecycle**

Observed in Teams on iOS (8 times) and Outlook on iOS (37 times)

**Scenario**

Observed in Teams on iOS (523 times)

**Trace**

Observed in Teams on iOS (135 times)

**http**

Observed in Teams on iOS (106 times)

**Userbi**

Observed in Teams on iOS (51 time)

**Session**

Observed in Teams on iOS (57 times) and Outlook on iOS (28 times)

**Adalauth**

Observed in Teams on iOS (140 times)

**Notification**

Observed in Teams on iOS (14 times)

**mail\_filter\_component**

Observed in Outlook on iOS (12 times)

**tab\_component**

Observed in Outlook on iOS (12 times)

**inbox\_component**

Observed in Outlook on iOS (17 times)

**core\_data\_diagnostics**

Observed in Outlook on iOS (3 times)

**account\_consistency**

Observed in Outlook on iOS (3 times)

**accessibility\_report**

Observed in Outlook on iOS (3 times)

**feed\_account\_info**

Observed in Outlook on iOS (3 times)

**adal\_telemetry**

Observed in Outlook on iOS (76 times)

**account\_action**

Observed in Outlook on iOS (5 times)

**hx\_fetch\_latency\_start**

Observed in Outlook on iOS (58 times)

**boot\_time**

Observed in Outlook on iOS (2 times)

**app\_launch\_report**

Observed in Outlook on iOS (3 times)

**cortana\_action**

Observed in Outlook on iOS (39 times)

**feature\_flags**

Observed in Outlook on iOS (6 times)

**exchange\_api\_duration**

Observed in Outlook on iOS (8 times)

**addin\_report**

Observed in Outlook on iOS (2 times)

**mail\_list\_datasource\_v2\_performance**

Observed in Outlook on iOS (7 times)

**app\_startup\_reason**

Observed in Outlook on iOS (3 times)

**mail\_drawer\_action**

Observed in Outlook on iOS (2 times)

**sidebar\_action**

Observed in Outlook on iOS (14 times)

**heterogeneous\_favorites**

Observed in Outlook on iOS (2 times)

**add\_account**

Observed in Outlook on iOS (11 time)

**livepersonacard\_qos\_lokigetauthtoken**

Observed in Outlook on iOS (1 time)

**core\_data\_performance**

Observed in Outlook on iOS (20 times)

**mail\_compose**

Observed in Outlook on iOS (6 times)

**send\_message**

Observed in Outlook on iOS (2 times)

**cal\_component**

Observed in Outlook on iOS (3 times)

**combined\_search\_use**

Not found

**unexisting\_process\_ended**

Observed in Outlook on iOS (1 time)

**main\_thread\_blocked**

Observed in Outlook on iOS (3 times)

**cal\_navigate\_to\_today**

Not found

**cal\_drawer\_action**

Observed in Outlook on iOS (3 times)

**composite\_stats**

Observed in Outlook on iOS (25 times) and Excel on Android (4 times)

**profile\_load**

Observed in Excel on Android (1 time)

**sqlite\_policy\_storage\_onen\_database**

Observed in Excel on Android (1 time)

**sqlite\_policy\_storage\_create\_table\_if\_needed**

Observed in Excel on Android (1 time)

**profile\_load\_async**

Observed in Excel on Android (2 times)

**sqlite\_policy\_storage\_load**

Observed in Excel on Android (11 time)

**policy\_sync\_acquire\_policy**

Observed in Excel on Android (11 time)

**profile\_add\_engine\_async**

Observed in Excel on Android (11 time)

**Bizcritical**

Observed in Excel on Android (2 times) and Word on Android (2 times)

**Performance**

Observed in Excel on Android (13 times) and Word on Android (13 times)

**usage**

Observed in Excel on Android (2 times) and Word on Android (2 times)

**During the second test run 29 other telemetry events have been observed, especially from the Outlook app on iOS. These were:**

**account\_properties\_log**

Observed in Outlook on iOS (3 times)

**adal\_error**

Observed in Outlook on iOS (336 times)

**adal\_login\_result**

Observed in Outlook on iOS (42 times)

**add\_account\_result**

Observed in Outlook on iOS (11 time)

**app\_error**

Observed in Outlook on iOS (1 time)

**auth\_trace**

Observed in Teams on iOS (38 times)

**autodiscover\_result**

Observed in Outlook on iOS (11 time)

**compose\_mail\_accessory**

Observed in Outlook on iOS (2 times)

**configurationsetaction**

Observed in Outlook on iOS (1 time)

**connection**

Observed in Outlook on iOS (2 times)

**conversation\_load\_time**

Observed in Outlook on iOS (1 time)

**core\_data\_corruption**

Observed in Outlook on iOS (2 times)

**cortanaapiaccount\_fetch\_failure**

Observed in Outlook on iOS (2 times)

**draft\_action**

Observed in Outlook on iOS (1 time)

**edf\_trouter\_client\_host\_and\_listener\_events**

Observed in Teams on Android (3 times)

**email\_rendering**

Observed in Outlook on iOS (2 times)

**exo\_get\_user\_info**

Observed in Outlook on iOS (1 time)

**file\_action**

Observed in Outlook on iOS (1 time)

**file\_download**

Observed in Outlook on iOS (1 time)

**general\_properties\_log**

Observed in Outlook on iOS (3 times)

**hx\_account\_state**

Observed in Outlook on iOS (6 times)

**hx\_pulse**

Observed in Outlook on iOS (7 times)

**iconic\_sync**

Observed in Outlook on iOS (4 times)

**livepersonacard**

Observed in Outlook on iOS (2 times)

**livepersonacard\_events**

Observed in Outlook on iOS (4 times)

**livepersonacard\_qos**

Observed in Outlook on iOS (1 time)

**mail\_action**

Observed in Outlook on iOS (1 time)

**reauth\_account**

Observed in Outlook on iOS (17 times)

**updated\_host\_configuration**

Observed in Outlook on iOS (1 time)